



The flatbed agitator keeps your trombocytes in motion



Storage of trombocytes - standstill or motion

Upper section moves over 1.5 inches at 70 strokes per minutes

Every shelf has a capacity of 6 bags

Built-in stopper prevents accidental drawing out

Designed in stainless steel

Each drawer can be operated independently from other drawers

Designed for silent and reliable long time use



Lmb

Address

Möslstr. 17
D-85445 Schwaig

Phone

+49 - 8122 - 880 96 - 0

Fax

+49 - 8122 - 880 96 - 60

Internet

www.lmb.de

E-mail

info@lmb.de

Optional

No-motion alarm

- 1) acoustic warn signal
- 2) via PC interface

Data collection and transfer

via WLAN or LAN

Technical data

Power supply:

220 V / 50 Hz / 50

Weight:

18 kg

Capacity:

24 platelet bags

Dimensions:

27,94 x 44,45 x 38,1 cm



The flatbed agitator keeps your trombocytes in motion



Storage of trombocytes - standstill or motion

Upper section moves over 1.5 inches at 70 strokes per minutes

Every shelf has a capacity of 6 bags

Built-in stopper prevents accidental drawing out

Designed in stainless steel

Each drawer can be operated independently from other drawers

Designed for silent and reliable long time use



Lmb

Optional

No-motion alarm

- 1) acoustic warn signal
- 2) via PC interface

Data collection and transfer

via WLAN or LAN

Address

Möslstr. 17
D-85445 Schwaig

Phone

+49 - 8122 - 880 96 - 0

Fax

+49 - 8122 - 880 96 - 60

Internet

www.lmb.de

E-mail

info@lmb.de

Technical data

Power supply:

220 V / 50 Hz / 50

Weight:

24 kg

Capacity:

48 platelet bags

Dimensions:

35,56 x 44,45 x 38,1 cm



The flatbed agitator keeps your trombocytes in motion



Storage of trombocytes - standstill or motion

Upper section moves over 1.5 inches at 70 strokes per minutes

Every shelf has a capacity of 12 bags

Built-in stopper prevents accidental drawing out

Designed in stainless steel

Each drawer can be operated independently from other drawers

Designed for silent and reliable long time use



Lmb

Optional

No-motion alarm

- 1) acoustic warn signal
- 2) via PC interface

Data collection and transfer

via WLAN or LAN

Address

Möslstr. 17
D-85445 Schwaig

Phone

+49 - 8122 - 880 96 - 0

Fax

+49 - 8122 - 880 96 - 60

Internet

www.lmb.de

E-mail

info@lmb.de

Technical data

Power supply:

220 V / 50 Hz / 50

Weight:

38,55 kg

Capacity:

96 platelet bags

Dimensions:

35,56 x 88,9 x 38,1 cm